Focus on your needs

Ultrasound system **HS60** Powered by CrystalLive™




Scan code or visit www.samsunghealthcare.com to learn more



Relentless innovation for your diagnostic confidence

We make every endeavor to deliver innovative products and solutions that enable healthcare professionals to enhance diagnostic confidence.

Samsung's HS60 ultrasound system has adopted this integrated solution in order to provide exquisite image quality and expert tools that enable you to focus on your specific needs.





Powered by CrystalLive™

CrystalLive™ is Samsung's ultrasound imaging engine with enhanced image processing capabilities including 2D image processing, 3D rendering and color signal processing. It provides realistic and coherent images in various modes. In addition, it also offers an efficient diagnostic environment by handling large amount of signal data quickly.

Samsung
Ultrasound System HS60




S-Vue Transducer™

S-Vue Transducer™ provides more efficient piezoelectric properties, resulting in wider bandwidths that enable better penetration and higher quality resolution.



S-Vue Transducer™ CA1-7AD, CA2-9AD, CA3-10A, PA1-5A




* The image is for illustrational purposes only and might differ from the actual performance of the device.

More valuable information

Samsung's advanced imaging technologies can provide new insights based on highly detailed images. This valuable information enables confident decision making.

Clean up blurry areas in the image

HQ-Vision™¹ provides clearer images by mitigating the characteristics of ultrasound images that are slightly blurred than the actual vision.




Shoulder3

Shoulder³ with HQ-VisionTM

Reduce noise to improve 2D image quality

The noise reduction filter improves edge enhancement and creates sharper 2D images for optimal diagnostic performance. In addition, **ClearVision** provides application-specific optimization and advanced temporal resolution in live scan mode.





Thyroid 3

Thyroid ³ with Clear Vision

Provide uniform image performance from near-to-far

S-Harmonic™ mitigates the signal noise, enhances contrast, and provides uniform image performance of overall image area from near-to-far.






Gall Bladder³ Gall Bladder³ with S-HarmonicTM

Visualize slow flow in microvascular structures

MV-Flow™¹ visualizes microcirculatory and slow blood flow to display the intensity in color. It is suitable for observation of microcirculatory and volume of slow blood flow.



Thyroid mass ⁴ with MV-Flow™

Examine peripheral vessels with directional Power Doppler


S-Flow™ is a directional power Doppler technology, which helps in diagnosis of complex forms of blood flow.



Liver ³ with S-Flow[™]

Show blood flow in vessels in a 3D like display

LumiFlow™¹ is a function that visualizes blood flow in three dimensional-like to help understand the structure of blood flow and small vessels intuitively.




Carotid ⁴ Doppler with LumiFlow™






Liver 3


Pancreas 3






Thyroid 3

Shoulder 2






Carotid 3 with PW


Carotid ³ with Color





4 chamber view

Mitral valve 2 with PW




Measure IMT in one click

AutoIMT+1 is a screening tool to analyze potential risk of cardiovascular disease. It allows easy intima-media thickness measurement of both the anterior and posterior wall of the common carotid by the click of a button.

Measure ejection fraction of the left ventricle

AutoEF ¹ is a feature which conveniently measures and quantifies Ejection Fraction. The volume at the endsystolic and end-diastolic points of the left ventricle is calculated, to assist in quick and efficient assessment of the heart function.



AutoIMT+

Quantify wall motion of the left ventricle

Strain+1 is a quantitative tool for global and segmental wall motion of the left ventricle (LV). In Strain+, three standard LV views and a Bull's Eye are displayed in a quad screen for easy and quick assessment of the LVfunction.



with high precision

Display needle tip clearly

beam steering added to NeedleMate+™.

NeedleMate+™¹ delineates needle location when

performing interventions such as nerve blocks. Improved

accuracy and efficiency in procedure are possible with

Panoramic+™ 1 imaging displays as an extended field-




NeedleMate+™

Score and report wall motion to determine heart and blood vessel function

StressEcho ¹ package includes wall motion scoring and reporting. It includes exercise StressEcho, pharmacologic StressEcho, diastolic StressEcho and free programmable StressEcho.



StressEcho



Knee with Panoramic+™

Intuitive multi-modality fusion imaging

of-view so users can examine wide areas that do not fit into one image as a single image. Panoramic images provide data obtained the linear and convex transducers.

Samsung Ultrasound System HS60

Enhanced Efficiency

The HS60 has been designed to enhance efficiency through reducing keystrokes, enabling you to streamline your workflow by combining multiple actions into one. Its user-oriented design also enables you to focus on your needs, reducing the complexity and stress of operating the system.






Build predefined protocols for streamlined process

EzExam+™ ¹ ensures the full investigation is performed, eliminating the risk of forgetting an image or loop capture, as well as measurement and transducer preset changes.




Compare previous and current exam in a side-by-side display

EzCompare™ allows easy access to previously taken exams to evaluate corresponding views in a side-by-side display. For greater efficiency, EzCompare™ automatically matches the image settings, annotations, and bodymarkers from the prior study.



Magnify the region of interest in a picture-in-picture window


When placing a caliper, **Measure Navigation** automatically magnifies
the area of interest using a picture-inpicture window to allow more precise
placement of the calipers. This is
especially useful when measuring small
structures or when accuracy is critical.





QuickPreset allows the user to select the most common transducer and preset combinations in one click.

View images in wider screen

WideScreen provides approximately 27% more lateral viewing information compared to normal screen, allowing ultrasonic examination with wider view at a glance.









1 Gel warmer 1

Two-level adjustable gel warmer maintains ultrasound gel at a comfortable temperature.



Solid State Drive (SSD)

The HS60 uses advanced solid state drives. These stable and dependable drives allow faster bootup, better frame rates, and fast processing speeds.



Use the system when AC power is temporarily unavailable

BatteryAssist^{™ 1} provides the system with battery power. It enables users to perform scans and transport the ultrasound system to other locations in environments where AC power may not be available temporarily.



With its reduced weight and compact size, the HS60 takes up minimal space and can move freely. In addition, its streamlined rear profile allows you to park the HS60 in small spaces.





Samsung Ultrasound System HS60

Comprehensive selection of transducers

Curved array transducers



CA1-7AD abdomen, obstetrics, gynecology, musculoskeletal, pediatric, vascular, urology



CA2-9AD abdomen, obstetrics, gynecology, musculoskeletal, pediatric, vascular, urology



CA3-10A abdomen, obstetrics, gynecology, musculoskeletal, pediatric, vascular, urology



CA4-10M pediatric, vascular

Linear array transducers



LA3-14AD small parts, vascular, musculoskeletal, abdomen, obstetrics, gynecology, pediatric



LA3-16A small parts, vascular, musculoskeletal, abdomen, obstetrics, gynecology, pediatric



LA2-9A small parts, vascular, musculoskeletal, abdomen, obstetrics, gynecology, pediatric



LA4-18BD small parts, vascular, musculoskeletal, abdomen, obstetrics, gynecology, pediatric



LA3-16AI small parts, vascular, musculoskeletal, abdomen, obstetrics, gynecology, pediatric

Phased array transducers



PA1-5A abdomen, cardiac, vascular, pediatric



PA3-8B abdomen, cardiac, vascular, pediatric



PA4-12B abdomen, cardiac, vascular, pediatric



Cleaning and disinfection guide

Samsung healthcare cybersecurity

To address the emerging need for cybersecurity, Samsung provides a solution to support our customers by offering the tools to protect against cyberthreats that may compromise invaluable data and ultimately degrade the quality of care. Samsung's Cybersecurity Solution strives to abide by the CIA triad (Confidentiality, Integrity, and Availability) and takes a comprehensive approach to providing impeccable protection with the following pillars: Intrusion prevention, Access control, and Data protection











About Samsung Medison CO., LTD.

Samsung Medison, an affiliate of Samsung Electronics, is a global medical company founded in 1985. With a mission to bring health and well-being to people's lives, the company manufactures diagnostic ultrasound systems around the world across various medical fields. Samsung Medison has commercialized the Live 3D technology in 2001 and since being part of Samsung Electronics in 2011, it is integrating IT, image processing, semiconductor and communication technologies into ultrasound devices for efficient and confident diagnosis.

- This product, features, options and transducers are not commercially available in all countries.
- Sales and shipments are effective only after the approval by the regulatory affairs. Please contact your local sales representative for further details.
- This product is a medical device, please read the user manual carefully before use.
- S-Vue Transducer™ is the name of Samsung's advanced transducer technology.
- Optical Disk Drive is not available for this product.
- 1. Optional feature which may require additional purchase.
- 2. Clinical image acquired by the HS60 V1.00 ultrasound system.
- 3. Clinical image acquired by the HS60 V2.00 ultrasound system.
- 4. Clinical image acquired by the HS60 V2.03 ultrasound system.
- 5. Strain value for ElastoScan+™ is not applicable in Canada and the United States.

SAMSUNG MEDISON CO., LTD.

